

COMPLIANCE WORKING RECORD

Screen-reader test evidence manager

Fictional sample. Requires tailoring and responsible review.

Document control

Field	Value
Document type	Screen-reader test evidence manager
Document reference	FICTIONAL-ACCESS-EMPLOYMENT-1
Jurisdiction	Customer-approved US scope
Version	1
Status	Named accessibility and employment prepared
Prepared by	Fictional responsible reviewer
Prepared on	2026-10-09T18:00:00Z
Rule pack	2026-10-09.access-employment.1
Generated	October 9, 2026

Purpose and boundary

Preserve actual screen-reader environments, ordered observations, source-supported coverage and accountable findings.

Join exact screen-reader/browser/OS/device versions and configuration to actual page/build, scenario and ordered observations. Compare selected expected spoken name, role, state and reading order against actual recorded output. Reject contradictory pass claims, mixed environments and unsupported closures. Retain historical failures and exact retest versions.

This browser preparation retains original customer evidence and selected source-approved criteria. Actual manual tests, authorization, delivery, signatures, employment status and legal applicability remain responsible human decisions. PDF checks cover only supported structural indicators, not semantic accessibility or conformance. No external scan, filing, remote AI or provider is called. Exact sources stay in this browser unless explicitly saved through paid private cloud saving.

Approved scope and accessibility and employment method

Fictional selected exact originals and approved criteria only. Replace every fictional fact before use.

Scope approval. FICTIONAL-SCOPE-1

Approved method. Fictional approved accessibility/employment method 1. Source. f1. Locator. /methodVersion. Approver. Fictional authorized method approver. Approval date. 2026-01-02T12:00:00Z

Population statement. Declared complete population. Customer-declared scope count. 1

Screen-reader scenario coverage scope inputs

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Exact scope ID. SCOPE-1 Name. Fictional Northfield reader scope Version. 1 Owner. Fictional accountable owner Jurisdiction. Customer-approved US scope Instrument. Fictional explicit selected instrument Operative instrument version. WCAG 2.2 Recommendation 2024-12-12 Instrument Source Id. f1 Instrument Locator. /instrumentVersion Effective From. 2026-01-01 Effective Through. Scope Basis. Fictional accountable approval of exact selected task scope. No legal applicability is inferred. Approved By. Fictional responsible scope approver Approved At. 2026-01-02T12:00:00Z Population Mode. Declared complete population Declared named output count. 1 Original source file ID. f2 Original JSON record pointer. /scopes/0 Original source binding. Exact JSON record Supporting evidence IDs. ["PROOF-scopes-SCOPE-1"]

Reader Environments

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Environment Id. ENV-1 Exact scope ID. SCOPE-1 Screen Reader. Fictional NVDA Reader Version. 2026.1 Browser. Fictional Firefox Browser Version. 145 Operating System. Fictional Windows Os Version. 11 Device. Fictional desktop Settings. Fictional default reading configuration Original source file ID. f2 Original JSON record pointer. /readerEnvironments/0 Original source binding. Exact JSON record Supporting evidence IDs. ["PROOF-readerEnvironments-ENV-1"]

Reader Scenarios

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Scenario Id. SCENARIO-1 Exact scope ID. SCOPE-1 Environment Id. ENV-1 Page Ref. https://example.com/fictional Page Version. 1 Task. Fictional read and activate checkout button. Declared Observations. 1 Tested On. 2026-10-08 Tester. Fictional reader tester Outcome. Pass Original source file ID. f2 Original JSON record pointer. /readerScenarios/0 Original source binding. Exact JSON record Supporting evidence IDs. ["PROOF-readerScenarios-SCENARIO-1"]

Reader Observations

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Observation Id. OBS-1 Exact scope ID. SCOPE-1 Scenario Id. SCENARIO-1 Environment Id. ENV-1 Sequence. 1 Expected Name. Checkout Spoken Name. Checkout Expected Role. Button Spoken Role. Button Expected State. Available Spoken State. Available Expected Order. 1 Observed Order. 1 Result. Pass Observed On. 2026-10-08 Proof. Fictional attributable actual screen-reader observation Supersedes Observation Id. Original source file ID. f2 Original JSON record pointer. /readerObservations/0 Original source binding. Exact JSON record Supporting evidence IDs. ["PROOF-readerObservations-OBS-1"]

Reader Issues

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

Evidence

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Evidence Id. PROOF-scopes-SCOPE-1 Exact scope ID. SCOPE-1 Record Type. scopes Record Id. SCOPE-1 File Id. f2 Source Sha256. 2c83829cc3a4df8ed90bd84f8540c4272cb6d680e070b6565bda84b7b3defebe Locator. /scopes/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Original reviewed task evidence

ID	Facts
2	Evidence Id. PROOF-readerEnvironments-ENV-1 Exact scope ID. SCOPE-1 Record Type. readerEnvironments Record Id. ENV-1 File Id. f2 Source Sha256. 2c83829cc3a4df8ed90bd84f8540c4272cb6d680e070b6565bda84b7b3defebe Locator. /readerEnvironments/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Original reviewed task evidence
3	Evidence Id. PROOF-readerScenarios-SCENARIO-1 Exact scope ID. SCOPE-1 Record Type. readerScenarios Record Id. SCENARIO-1 File Id. f2 Source Sha256. 2c83829cc3a4df8ed90bd84f8540c4272cb6d680e070b6565bda84b7b3defebe Locator. /readerScenarios/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Original reviewed task evidence
4	Evidence Id. PROOF-readerObservations-OBS-1 Exact scope ID. SCOPE-1 Record Type. readerObservations Record Id. OBS-1 File Id. f2 Source Sha256. 2c83829cc3a4df8ed90bd84f8540c4272cb6d680e070b6565bda84b7b3defebe Locator. /readerObservations/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Original reviewed task evidence

Actions

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

Screen-reader scenario coverage

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
OBS-1	Item. OBS-1 Scope ID. SCOPE-1 Scenario. SCENARIO-1 Environment. ENV-1 Sequence. 1 Spoken name. Checkout Spoken role. Button Spoken state. Available Reading order. 1 Computed supported pass. Yes Result. Prepared for review

Named accessibility and employment draft sections

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
----	--------

ID	Result
SCENARIO-1	<p>Item. SCENARIO-1 Scope ID. SCOPE-1 Title. Screen-reader coverage record Decision. Prepared for review Draft text. Exact page/version. https://example.com/fictional / 1</p> <p>Environment. {"environmentId":"ENV-1","scopeId":"SCOPE-1","screenReader":"Fictional NVDA","readerVersion":"2026.1","browser":"Fictional Firefox","browserVersion":"145","operatingSystem":"Fictional Windows","osVersion":"11","device":"Fictional desktop","settings":"Fictional default reading configuration","sourceFileId":"f2","sourceLocator":"/readerEnvironments/0","sourceBinding":"Exact JSON record","evidenceIds":["PROOF-readerEnvironments-ENV-1"]}</p> <p>Task. Fictional read and activate checkout button.. Tester. Fictional reader tester. Test date. 2026-10-08</p> <p>Actual ordered observations. 1. Checkout. Button. Available. Order. 1. Pass. Fictional attributable actual screen-reader observation</p> <p>This browser preparation retains original customer evidence and selected source-approved criteria. Actual manual tests, authorization, de [formal preview abridged]</p>

Accountable accessibility and employment actions

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

Accessibility and employment draft. SCENARIO-1. Prepared for review

Complete source-supported draft text appears below and remains in Excel and JSON.

Exact page/version. <https://example.com/fictional> / 1

Environment. {"environmentId":"ENV-1","scopeId":"SCOPE-1","screenReader":"Fictional NVDA","readerVersion":"2026.1","browser":"Fictional Firefox","browserVersion":"145","operatingSystem":"Fictional Windows","osVersion":"11","device":"Fictional desktop","settings":"Fictional default reading configuration","sourceFileId":"f2","sourceLocator":"/readerEnvironments/0","sourceBinding":"Exact JSON record","evidenceIds":["PROOF-readerEnvironments-ENV-1"]}

Task. Fictional read and activate checkout button.. Tester. Fictional reader tester. Test date. 2026-10-08

Actual ordered observations.
1. Checkout. Button. Available. Order. 1. Pass. Fictional attributable actual screen-reader observation

This browser preparation retains original customer evidence and selected source-approved criteria. Actual manual tests, authorization, delivery, signatures, employment status and legal applicability remain responsible human decisions. PDF checks cover only supported structural indicators, not semantic accessibility or conformance. No external scan, filing, remote AI or provider is called. Exact sources stay in this browser unless explicitly saved through paid private cloud saving.

Review findings

1 actual scopes. 1 named outputs. 0 unresolved findings.

The first 100 findings and 1000 characters per displayed field appear here. Complete findings remain in the data exports.

Kind	ID	Result	Finding
Original scopes source	SCOPE-1	Matched	Every exact task fact matches the original bytes.
Original readerEnvironments source	ENV-1	Matched	Every exact task fact matches the original bytes.
Original readerScenarios source	SCENARIO-1	Matched	Every exact task fact matches the original bytes.
Original readerObservations source	OBS-1	Matched	Every exact task fact matches the original bytes.

Selected exact attachments

ID	Filename	Bytes	SHA-256
f1	fictional-approved-access-employment-rules.json	129	7fc5e05c9578946f50bcd0c25ffd8ad34a1305d9062fe7f1ea65f301d5e9fd9
f2	fictional-original-access-employment-records.json	1975	2c83829cc3a4df8ed90bd84f8540c4272cb6d680e070b6565bda84b7b3defebe

Unresolved items and limitations

The first 100 unresolved items appear here, with 1000 characters per preview. Complete findings remain in Excel and JSON.

- This browser preparation retains original customer evidence and selected source-approved criteria. Actual manual tests, authorization, delivery, signatures, employment status and legal applicability remain responsible human decisions. PDF checks cover only supported structural indicators, not semantic accessibility or conformance. No external scan, filing, remote AI or provider is called. Exact sources stay in this browser unless explicitly saved through paid private cloud saving.

Limitations

- This browser preparation retains original customer evidence and selected source-approved criteria. Actual manual tests, authorization, delivery, signatures, employment status and legal applicability remain responsible human decisions. PDF checks cover only supported structural indicators, not semantic accessibility or conformance. No external scan, filing, remote AI or provider is called. Exact sources stay in this browser unless explicitly saved through paid private cloud saving.

Official sources

Source	Provision	Date	Link
World Wide Web Consortium: Web Content Accessibility Guidelines 2.2	WCAG 2.2, December 12, 2024 Recommendation. Sections 2.1, 2.4, 4.1 and conformance requirements on full pages, complete processes, accessibility-supported technologies and noninterference. Selected criteria and actual evaluations stay explicit.. Join exact screen-reader/browser/OS/device versions and configuration to actual page/build, scenario and ordered observations. Compare selected expected spoken name, role, state and reading order against actual recorded output. Reject contradictory pass claims, mixed environments and unsupported closures. Retain historical failures and exact retest versions. This source does not validate unsupplied populations, authenticate actual tests or approve the customer result.	October 9, 2026	https://www.w3.org/TR/2024/REC-WCA-G22-20241212/