

COMPLIANCE WORKING RECORD

Legitimate interests assessment assistant

Fictional sample. Requires tailoring and responsible review.

Document control

Field	Value
Document type	Legitimate interests assessment assistant
Document reference	FICTIONAL-PRIVACY-1
Jurisdiction	United States
Version	1
Status	Named privacy assessment prepared
Prepared by	Fictional responsible reviewer
Prepared on	October 9, 2026
Rule pack	2026-10-09.privacy-assessment.1
Generated	October 9, 2026

Purpose and boundary

Structure purpose, necessity and balancing reasoning without inventing a legal basis.

Separate the customer's exact purpose, necessity and balancing questions. Compare actual alternatives, individual expectations, power imbalance, concrete benefits, privacy impacts and observed safeguards. Assemble a three-part workpaper and preserve the reviewer's reasoned decision. This US-market preparation does not create a GDPR legitimate-interests legal basis or infer consent.

This preparation preserves customer-selected jurisdiction, source versions, criteria, facts and substantive decisions. It does not determine legal applicability, valid consent, a legal basis, statutory deadlines, assessment sufficiency or source authenticity. No risk reduction follows automatically from a listed safeguard. Original files remain unchanged and browser-local unless explicitly saved through paid private cloud saving.

Approved scope and privacy assessment method

Fictional limited processing boundary. Requires tailoring and responsible substantive review.

Scope approval. FICTIONAL-PRIVACY-SCOPE-1

Approved method. Fictional approved privacy preparation method 1. Source. f1. Locator. Exact fictional method and criteria JSON. Approver. Fictional method approver. Approval date. 2026-01-01

Population statement. Declared complete population. Customer-declared count. 1

Purpose, necessity and balancing worksheet scope

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Subject ID. SUB1 Jurisdictions. ["US customer-selected preparation"] Purpose. Reduce repeated support questions from known service errors Population. Fictional customer-declared selected audience only Data Categories. ["Customer-declared service contact records"] Owner. Fictional processing owner Processing Name. Fictional support-quality review Interest. Reduce repeated support contacts for known service errors Beneficiaries. Customers and the fictional support team Expected Benefit. Fictional measured reduction of repeated support questions Reasonable Expectations. Source-reviewed original service expectations Power Imbalance. Fictional customer relationship, with a separate challenge route

Criteria

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Criterion ID. C1 Jurisdiction. US customer-selected preparation Instrument. Fictional approved preparation criteria Provision. Fictional Purpose question 1 Rule Version. Fictional approved privacy preparation method 1 Source ID. f1 Source Locator. criteria[0] Stage. Purpose Question. Fictional Purpose question based on selected observations Trigger When. Yes Trigger Effect. Condition Approved By. Fictional method approver Approved On. 2026-01-01

ID	Facts
2	Criterion ID. C2 Jurisdiction. US customer-selected preparation Instrument. Fictional approved preparation criteria Provision. Fictional Necessity question 2 Rule Version. Fictional approved privacy preparation method 1 Source ID. f1 Source Locator. criteria[1] Stage. Necessity Question. Fictional Necessity question based on selected observations Trigger When. Yes Trigger Effect. Condition Approved By. Fictional method approver Approved On. 2026-01-01
3	Criterion ID. C3 Jurisdiction. US customer-selected preparation Instrument. Fictional approved preparation criteria Provision. Fictional Balance question 3 Rule Version. Fictional approved privacy preparation method 1 Source ID. f1 Source Locator. criteria[2] Stage. Balance Question. Fictional Balance question based on selected observations Trigger When. Yes Trigger Effect. Condition Approved By. Fictional method approver Approved On. 2026-01-01

Answers

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Answer ID. ANS1 Subject ID. SUB1 Criterion ID. C1 Answer. No Rationale. Fictional exact observation supports this supplied answer. Evidence IDs. ["E1"] Reviewer. Fictional responsible answer reviewer Reviewed On. 2026-10-09
2	Answer ID. ANS2 Subject ID. SUB1 Criterion ID. C2 Answer. No Rationale. Fictional exact observation supports this supplied answer. Evidence IDs. ["E1"] Reviewer. Fictional responsible answer reviewer Reviewed On. 2026-10-09
3	Answer ID. ANS3 Subject ID. SUB1 Criterion ID. C3 Answer. No Rationale. Fictional exact observation supports this supplied answer. Evidence IDs. ["E1"] Reviewer. Fictional responsible answer reviewer Reviewed On. 2026-10-09

Flows

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Flow ID. FLOW1 Subject ID. SUB1 Data Categories. ["Customer-declared service contact records"] Source. Fictional direct customer-authorized source Purpose Phase. Assessed operating flow Purpose. Reduce repeated support questions from known service errors Recipient. Fictional restricted service team Recipient Role. Fictional internal service role Location. Customer-selected US service region Retention Rule. Fictional approved 90-day service requirement, not a statutory period Retention Source ID. f1 Retention Locator. retention Access Roles. Fictional restricted reviewer role Disclosure State. Permitted by declared condition Disclosure Evidence IDs. ["E1"]

Alternatives

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Alternative ID. ALT1 Subject ID. SUB1 Option. Fictional bounded selected processing method Objective Contribution. Meets purpose Intrusion Comparison. Equivalent intrusion Selection. Selected Reason. Fictional reviewed observations support this exact purpose contribution. Evidence IDs. ["E1"]
2	Alternative ID. ALT2 Subject ID. SUB1 Option. Fictional aggregate-only alternative Objective Contribution. Partially meets purpose Intrusion Comparison. Less intrusive Selection. Rejected Reason. Fictional observed aggregate data cannot identify the recurring support failure within this selected scope. Evidence IDs. ["E1"]

Impacts

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Impact ID. IMP1 Subject ID. SUB1 Pathway. Fictional unapproved access could expose the declared service context Affected Interest. Customer-declared confidentiality and reasonable expectations Affected Population. Fictional selected audience Assessed Contexts. ["Individual expectations", "Power imbalance"] Inherent Judgment. Customer-declared material privacy consequence Residual Judgment. Customer-declared material privacy consequence Residual Rationale. No automatic decrease follows from the selected safeguard. Measure IDs. ["M1"] Evidence IDs. ["E1"] Uncertainty. Fictional limited observation set. No complete population or legal assurance. Owner. Fictional privacy impact owner

Measures

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Measure ID. M1 Subject ID. SUB1 Impact IDs. ["IMP1"] Description. Fictional restricted role and purpose-specific access control Implementation State. Implemented Test Result. Supports reported safeguard Evidence IDs. ["E1"] Tested On. 2026-10-08 Owner. Fictional safeguard owner

Decisions

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Decision ID. D1 Subject ID. SUB1 Jurisdiction. US customer-selected preparation Benefit Reason. Fictional exact declared service benefit and source observations. Necessity Reason. Fictional selected method meets the objective. The aggregate alternative only partly meets it. Balance Reason. Fictional material privacy consequence remains explicit. Conditional review and observed access controls support the supplied decision. Impact IDs. ["IMP1"] Measure IDs. ["M1"] Decision. Proceed with conditions Conditions. Fictional owner must review the source-supported limitation before broader use. Action IDs. ["A1"] Approval By. Fictional responsible decision maker Approval Role. Fictional processing approval role Approved On. 2026-10-09 Review On. 2026-12-31 Evidence IDs. ["E1"]

Evidence

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Evidence ID. E1 Subject ID. SUB1 Record ID. D1 File ID. f2 Source Sha256. 8c5f9e2e5f7327cd0d474b4579292e188a344402ff258766f93b5c22fc7717c0 Locator. CSV observation FICTIONAL-PRIVACY-OBS-1 Conclusion. Supports Reviewer. Fictional responsible evidence reviewer Observed On. 2026-10-08 Reviewed On. 2026-10-09

Actions

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Action ID. A1 Record ID. D1 Description. Fictional owned follow-up for the declared limitation and approval condition. Owner. Fictional response owner State. Planned Due On. 2026-12-31 Closed On. Evidence IDs. [] Depends On. []

Named processing analysis

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	Subject. SUB1 Result. Named facts and analysis prepared Processing Name. Fictional support-quality review Interest. Reduce repeated support contacts for known service errors Beneficiaries. Customers and the fictional support team Expected Benefit. Fictional measured reduction of repeated support questions Reasonable Expectations. Source-reviewed original service expectations Power Imbalance. Fictional customer relationship, with a separate challenge route Purpose test. [{"question":"Fictional Purpose question based on selected observations","answer":"No","rationale":"Fictional exact observation supports this supplied answer."}] Necessity test. [{"question":"Fictional Necessity question based on selected observations","answer":"No","rationale":"Fictional exact observation supports this supplied answer."}] Balance test. [{"question":"Fictional Balance question based on selected observations","answer":"No","rationale":"Fictional exact observation supports this supplied answer."}] Exact re [formal preview abridged]

Purpose, necessity and balancing workpaper

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	Subject. SUB1 Jurisdictions. ["US customer-selected preparation"] Categories. ["Customer-declared service contact records"] Named task facts. {"subjectId":"SUB1","jurisdictions":["US customer-selected preparation"],"purpose":"Reduce repeated support questions from known service errors","population":"Fictional customer-declared selected audience only","dataCategories":["Customer-declared service contact records"],"owner":"Fictional processing owner","processingName":"Fictional support-quality review","interest":"Reduce repeated support contacts for known service errors","beneficiaries":"Customers and the fictional support team","expectedBenefit":"Fictional measured reduction of repeated support questions","reasonableExpectations":"Source-reviewed original service expectations","powerImbalance":"Fictional customer relationship, with a separate challenge route"} Result. Declared processing scope prepared

Exact jurisdiction criteria and answers

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	Subject. SUB1 Jurisdiction. US customer-selected preparation Criterion. C1 Question. Fictional Purpose question based on selected observations Answer. No Declared trigger. Not triggered by supplied answer Result. Customer answer and exact criterion prepared

ID	Result
SUB1	Subject. SUB1 Jurisdiction. US customer-selected preparation Criterion. C2 Question. Fictional Necessity question based on selected observations Answer. No Declared trigger. Not triggered by supplied answer Result. Customer answer and exact criterion prepared
SUB1	Subject. SUB1 Jurisdiction. US customer-selected preparation Criterion. C3 Question. Fictional Balance question based on selected observations Answer. No Declared trigger. Not triggered by supplied answer Result. Customer answer and exact criterion prepared

Declared collection, use, retention and recipient paths

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	Flow. FLOW1 Subject. SUB1 Categories. ["Customer-declared service contact records"] Phase. Assessed operating flow Purpose. Reduce repeated support questions from known service errors Exact source. Fictional direct customer-authorized source Recipient. Fictional restricted service team Retention. Fictional approved 90-day service requirement, not a statutory period Disclosure state. Permitted by declared condition Result. Exact declared flow prepared

Reasoned assessment draft sections

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	<p>Subject. SUB1 Jurisdiction. US customer-selected preparation Decision. Proceed with conditions Triggered criteria. [] Result. Named assessment draft prepared Draft text. Purpose, necessity and balancing workpaper. Subject SUB1. Jurisdiction US customer-selected preparation</p> <p>Declared processing facts. {"subjectId":"SUB1","jurisdictions":["US customer-selected preparation"],"purpose":"Reduce repeated support questions from known service errors","population":"Fictional customer-declared selected audience only","dataCategories":["Customer-declared service contact records"],"owner":"Fictional processing owner","processingName":"Fictional support-quality review","interest":"Reduce repeated support contacts for known service errors","beneficiaries":"Customers and the fictional support team","expectedBenefit":"Fictional measured reduction of repeated support questions","reasonableExpectations":"Source-reviewed original service expectations","powerImbalance":"Fictional customer relationship, wi [formal preview abridged]</p>

Necessity alternatives

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	Alternative. ALT1 Subject. SUB1 Option. Fictional bounded selected processing method Contribution. Meets purpose Intrusion. Equivalent intrusion Selection. Selected Reason. Fictional reviewed observations support this exact purpose contribution. Result. Declared comparison prepared
SUB1	Alternative. ALT2 Subject. SUB1 Option. Fictional aggregate-only alternative Contribution. Partially meets purpose Intrusion. Less intrusive Selection. Rejected Reason. Fictional observed aggregate data cannot identify the recurring support failure within this selected scope. Result. Declared comparison prepared

Impact pathways and actual safeguards

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
SUB1	Impact. IMP1 Subject. SUB1 Pathway. Fictional unapproved access could expose the declared service context Affected interest. Customer-declared confidentiality and reasonable expectations Inherent judgment. Customer-declared material privacy consequence Residual judgment. Customer-declared material privacy consequence Actual safeguards. ["M1"] Uncertainty. Fictional limited observation set. No complete population or legal assurance. Result. Source-linked judgment prepared

Owned response and review plan

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
A1	Action. A1 Record. D1 Description. Fictional owned follow-up for the declared limitation and approval condition. Owner. Fictional response owner State. Planned Due date. 2026-12-31 Dependencies. [] Result. Owned response prepared

Assessment draft. SUB1. US customer-selected preparation

Complete exact draft text remains in Excel and JSON.

Purpose, necessity and balancing workpaper. Subject SUB1. Jurisdiction US customer-selected preparation

Declared processing facts. {"subjectId":"SUB1","jurisdictions":["US customer-selected preparation"],"purpose":"Reduce repeated support questions from known service errors","population":"Fictional customer-declared selected audience only","dataCategories":["Customer-declared service contact records"],"owner":"Fictional processing owner","processingName":"Fictional support-quality review","interest":"Reduce repeated support contacts for known service errors","beneficiaries":"Customers and the fictional support team","expectedBenefit":"Fictional measured reduction of repeated support questions","reasonableExpectations":"Source-reviewed original service expectations","powerImbalance":"Fictional customer relationship, with a separate challenge route"}

Customer-selected exact criteria. [{"criterionId":"C1","instrument":"Fictional approved preparation criteria","provision":"Fictional Purpose question 1","version":"Fictional approved privacy preparation method 1","sourceId":"f1","sourceLocator":"criteria[0]"}, {"criterionId":"C2","instrument":"Fictional approved preparation criteria","provision":"Fictional Necessity question 2","version":"Fictional approved privacy preparation method 1","sourceId":"f1","sourceLocator":"criteria[1]"}, {"criterionId":"C3","instrument":"Fictional approved preparation criteria","provision":"Fictional Balance question 3","version":"Fictional approved privacy preparation method 1","sourceId":"f1","sourceLocator":"criteria[2]"}]

Purpose and benefits. Fictional exact declared service benefit and source observations.

Necessity and alternatives. Fictional selected method meets the objective. The aggregate alternative only partly meets it.

Balancing and remaining impacts. Fictional material privacy consequence remains explicit. Conditional review and observed access controls support the supplied decision.

Declared criterion triggers. []

Customer decision. Proceed with conditions. Conditions. Fictional owner must review the source-supported limitation before broader use.

Approval. Fictional responsible decision maker, Fictional processing approval role, 2026-10-09. Review. 2026-12-31

Evidence references. ["E1"]. Action references. ["A1"]

Review findings

1 declared processing subjects. 3 exact jurisdiction criteria. 0 unresolved findings.

The first 100 findings and 1000 characters per displayed field appear here. Complete findings remain in the data exports.

Kind	ID	Result	Finding
Named privacy decision	D1	Prepared	Substantive decision and source-linked reasoning remain customer declarations.

Selected exact attachments

ID	Filename	Bytes	SHA-256
f1	fictional-approved-privacy-method.json	279	f8c3f0202e3b69d27167bbafa38b4d7455d789a226ba2cfe3a15933b09a433d6
f2	fictional-reviewed-privacy-observations.csv	113	8c5f9e2e5f7327cd0d474b4579292e188a344402ff258766f93b5c22fc7717c0

Unresolved items and limitations

The first 100 unresolved items appear here, with 1000 characters per preview. Complete findings remain in Excel and JSON.

- This preparation preserves customer-selected jurisdiction, source versions, criteria, facts and substantive decisions. It does not determine legal applicability, valid consent, a legal basis, statutory deadlines, assessment sufficiency or source authenticity. No risk reduction follows automatically from a listed safeguard. Original files remain unchanged and browser-local unless explicitly saved through paid private cloud saving.

Limitations

- This preparation preserves customer-selected jurisdiction, source versions, criteria, facts and substantive decisions. It does not determine legal applicability, valid consent, a legal basis, statutory deadlines, assessment sufficiency or source authenticity. No risk reduction follows automatically from a listed safeguard. Original files remain unchanged and browser-local unless explicitly saved through paid private cloud saving.

Official sources

Source	Provision	Date	Link
National Institute of Standards and Technology: NIST Privacy Framework, Version 1.0	Version 1.0. Identify-P, Govern-P, Control-P, Communicate-P and Protect-P support voluntary privacy-risk preparation. Version 1.1 is identified as an initial public draft on the source page. No legal basis or applicability decision follows from this framework.. Separate the customer's exact purpose, necessity and balancing questions. Compare actual alternatives, individual expectations, power imbalance, concrete benefits, privacy impacts and observed safeguards. Assemble a three-part workpaper and preserve the reviewer's reasoned decision. This US-market preparation does not create a GDPR legitimate-interests legal basis or infer consent. This source does not establish applicability, valid permission, customer assessment sufficiency or an approval.	October 9, 2026	https://www.nist.gov/privacy-framework