

COMPLIANCE WORKING RECORD

Tracking request payload inspector

Fictional sample. Requires tailoring and responsible review.

Document control

Field	Value
Document type	Tracking request payload inspector
Document reference	FICTIONAL-PRIVACY-PLATFORM-1
Jurisdiction	Customer-approved US scope
Version	1
Status	Named privacy and platform prepared
Prepared by	Fictional responsible reviewer
Prepared on	2026-10-09T18:00:00Z
Rule pack	2026-10-09.privacy-platform.1
Generated	October 9, 2026

Purpose and boundary

Inspect actual authorized HAR 1.2 bytes without replaying requests.

Validate bounded HAR 1.2 entry/request structure and exact captured population. Inspect URL queries, headers, cookies and supported JSON/form post bodies using source pointers. Compare approved identifier, consent and permitted-field definitions, show unrecognized payload structures and exact GPC signal anomalies, and preserve actual request lineage.

This browser preparation compares actual supplied source bytes and customer-approved policy, method and jurisdiction assumptions. It does not determine legal applicability, authenticate reported tests, certify anonymity or secure redaction, or execute preference fixtures. Unsupported surfaces, missing populations and pending human decisions stay visible. No replay, scan, DROP access, remote AI or provider call occurs. Originals remain local unless explicitly saved through paid private cloud saving.

Approved scope and privacy and platform method

Fictional selected exact original sources and approved criteria only. Replace every fictional fact before use.

Scope approval. FICTIONAL-SCOPE-1

Approved method. Fictional approved privacy/platform method 1. Source. f1. Locator. /methodVersion. Approver. Fictional authorized method approver. Approval date. 2026-01-02T12:00:00Z

Population statement. Declared complete population. Customer-declared scope count. 1

Inspect actual authorized HAR 1.2 bytes without replaying requests scope inputs

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Scope Id. SCOPE-1 Name. Fictional Northfield har scope Version. 1 Owner. Fictional accountable owner Jurisdiction. Customer-approved US scope Instrument. Fictional explicit approved instrument Instrument Version. Fictional approved privacy/platform policy version 1 Instrument Source Id. f1 Instrument Locator. /instrumentVersion Effective From. 2026-01-01 Effective Through. Scope Basis. Fictional accountable exact task scope selection. No statutory applicability is inferred. Approved By. Fictional scope approver Approved At. 2026-01-02T12:00:00Z Population Mode. Declared complete population Declared named output count. 1 Original task record file ID. f2 Exact task record JSON pointer. /scopes/0 Source binding. Exact JSON record Reviewed source evidence IDs. ["PROOF-scopes-SCOPE-1"]

Payload Rules

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Rule Id. RULE-1 Scope Id. SCOPE-1 Origin. https://example.com Location. Header Field. Sec-GPC Classification. Consent Expected. 1 Allowed. Yes Approved By. Fictional field reviewer Approved At. 2026-01-02T12:00:00Z Original task record file ID. f2 Exact task record JSON pointer. /payloadRules/0 Source binding. Exact JSON record Reviewed source evidence IDs. ["PROOF-payloadRules-RULE-1"]
2	Rule Id. RULE-2 Scope Id. SCOPE-1 Origin. https://example.com Location. Query Field. event Classification. Other permitted field Expected. fictional Allowed. Yes Approved By. Fictional field reviewer Approved At. 2026-01-02T12:00:00Z Original task record file ID. f2 Exact task record JSON pointer. /payloadRules/1 Source binding. Exact JSON record Reviewed source evidence IDs. ["PROOF-payloadRules-RULE-2"]
3	Rule Id. RULE-3 Scope Id. SCOPE-1 Origin. https://example.com Location. Body Field. /consent Classification. Consent Expected. "false" Allowed. Yes Approved By. Fictional field reviewer Approved At. 2026-01-02T12:00:00Z Original task record file ID. f2 Exact task record JSON pointer. /payloadRules/2 Source binding. Exact JSON record Reviewed source evidence IDs. ["PROOF-payloadRules-RULE-3"]

Captures

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Capture Id. CAPTURE-1 Scope Id. SCOPE-1 Har File Id. f3 Capture Version. 1 Authorized By. Fictional capture authorizer Authorization Basis. Fictional reviewed customer authorization for this exact captured traffic. Declared Entries. 1 Rule Ids. ["RULE-1","RULE-2","RULE-3"] Limitations. Fictional request-only captured population. Requests are never replayed. Original task record file ID. f2 Exact task record JSON pointer. /captures/0 Source binding. Exact JSON record Reviewed source evidence IDs. ["PROOF-captures-CAPTURE-1"]

Evidence

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

ID	Facts
1	Evidence Id. PROOF-scopes-SCOPE-1 Scope Id. SCOPE-1 Record Type. scopes Record Id. SCOPE-1 File Id. f2 Source Sha256. da8fe9fdda9a55bf933349602cf36cd4ff33dd5d0c2a8fee88700d95dcc3ec7f Locator. /scopes/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Fictional reviewed original task evidence
2	Evidence Id. PROOF-payloadRules-RULE-1 Scope Id. SCOPE-1 Record Type. payloadRules Record Id. RULE-1 File Id. f2 Source Sha256. da8fe9fdda9a55bf933349602cf36cd4ff33dd5d0c2a8fee88700d95dcc3ec7f Locator. /payloadRules/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Fictional reviewed original task evidence
3	Evidence Id. PROOF-payloadRules-RULE-2 Scope Id. SCOPE-1 Record Type. payloadRules Record Id. RULE-2 File Id. f2 Source Sha256. da8fe9fdda9a55bf933349602cf36cd4ff33dd5d0c2a8fee88700d95dcc3ec7f Locator. /payloadRules/1 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Fictional reviewed original task evidence
4	Evidence Id. PROOF-payloadRules-RULE-3 Scope Id. SCOPE-1 Record Type. payloadRules Record Id. RULE-3 File Id. f2 Source Sha256. da8fe9fdda9a55bf933349602cf36cd4ff33dd5d0c2a8fee88700d95dcc3ec7f Locator. /payloadRules/2 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Fictional reviewed original task evidence
5	Evidence Id. PROOF-captures-CAPTURE-1 Scope Id. SCOPE-1 Record Type. captures Record Id. CAPTURE-1 File Id. f2 Source Sha256. da8fe9fdda9a55bf933349602cf36cd4ff33dd5d0c2a8fee88700d95dcc3ec7f Locator. /captures/0 Conclusion. Supports Reviewer. Fictional exact source reviewer Reviewed At. 2026-10-09T18:00:00Z Evidence Type. Fictional reviewed original task evidence

Actions

The first 20 exact task rows appear here. Displayed values are bounded to 1000 characters. Complete typed rows and exact values remain in Excel and JSON.

Inspect actual authorized HAR 1.2 bytes without replaying requests

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

ID	Result
CAPTURE-1	Item. CAPTURE-1 Scope ID. SCOPE-1 Request index. 1 Origin. https://example.com Method. POST Location. Header Field. Sec-GPC Exact value. 1 Classification. Consent Source pointer. /log/entries/0/request/headers/0 Filename. fictional-authorized-capture.har SHA-256. 9324c5bddbb7e5b32701d3c73acaf23afd5778738c918793f2b4adf31e7482d1 Result. Prepared for review
CAPTURE-1	Item. CAPTURE-1 Scope ID. SCOPE-1 Request index. 1 Origin. https://example.com Method. POST Location. Query Field. event Exact value. fictional Classification. Other permitted field Source pointer. /log/entries/0/request/queryString/0 Filename. fictional-authorized-capture.har SHA-256. 9324c5bddbb7e5b32701d3c73acaf23afd5778738c918793f2b4adf31e7482d1 Result. Prepared for review
CAPTURE-1	Item. CAPTURE-1 Scope ID. SCOPE-1 Request index. 1 Origin. https://example.com Method. POST Location. Body Field. /consent Exact value. "false" Classification. Consent Source pointer. /log/entries/0/request/postData/text/consent Filename. fictional-authorized-capture.har SHA-256. 9324c5bddbb7e5b32701d3c73acaf23afd5778738c918793f2b4adf31e7482d1 Result. Prepared for review

Named privacy and platform draft sections

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

Accountable privacy and platform actions

The first 20 prepared output rows appear here. Complete rows remain in Excel and JSON.

Review findings

1 actual scopes. 3 named outputs. 0 unresolved findings.

The first 100 findings and 1000 characters per displayed field appear here. Complete findings remain in the data exports.

Kind	ID	Result	Finding
Original scopes source	SCOPE-1	Matched	Every exact task fact matches the original bytes.

Kind	ID	Result	Finding
Original payloadRules source	RULE-1	Matched	Every exact task fact matches the original bytes.
Original payloadRules source	RULE-2	Matched	Every exact task fact matches the original bytes.
Original payloadRules source	RULE-3	Matched	Every exact task fact matches the original bytes.
Original captures source	CAPTURE-1	Matched	Every exact task fact matches the original bytes.

Selected exact attachments

ID	Filename	Bytes	SHA-256
f1	fictional-approved-privacy-platform-rules.json	139	5c65ea382a07fcec2e287d2d06417acbf5047ba19f1b1afe7db93fdfaaf9900
f2	fictional-original-privacy-platform-records.json	2056	da8fe9fdda9a55bf933349602cf36cd4ff33dd5d0c2a8fee88700d95dcc3ec7f
f3	fictional-authorized-capture.har	407	9324c5bddbb7e5b32701d3c73acaf23afd5778738c918793f2b4adf31e7482d1

Unresolved items and limitations

The first 100 unresolved items appear here, with 1000 characters per preview. Complete findings remain in Excel and JSON.

- This browser preparation compares actual supplied source bytes and customer-approved policy, method and jurisdiction assumptions. It does not determine legal applicability, authenticate reported tests, certify anonymity or secure redaction, or execute preference fixtures. Unsupported surfaces, missing populations and pending human decisions stay visible. No replay, scan, DROP access, remote AI or provider call occurs. Originals remain local unless explicitly saved through paid private cloud saving.

Limitations

- This browser preparation compares actual supplied source bytes and customer-approved policy, method and jurisdiction assumptions. It does not determine legal applicability, authenticate reported tests, certify anonymity or secure redaction, or execute preference fixtures. Unsupported surfaces, missing populations and pending human decisions stay visible. No replay, scan, DROP access, remote AI or provider call occurs. Originals remain local unless explicitly saved through paid private cloud saving.

Official sources

Source	Provision	Date	Link
Software is hard, HAR specification authors: HTTP Archive specification 1.2	HAR 1.2 JSON log and request schema. Request URLs, queryString, headers, cookies, postData and timing fields preserve captured observations and may contain sensitive data. This local inspector supports bounded request arrays and supported body formats; the abandoned W3C HAR draft is not used as an operative standard.. Validate bounded HAR 1.2 entry/request structure and exact captured population. Inspect URL queries, headers, cookies and supported JSON/form post bodies using source pointers. Compare approved identifier, consent and permitted-field definitions, show unrecognized payload structures and exact GPC signal anomalies, and preserve actual request lineage. This source does not validate unsupplied populations, authenticate actual tests or approve the customer result.	October 9, 2026	https://www.softwareishard.com/blog/har-12-spec/

Source	Provision	Date	Link
World Wide Web Consortium: Global Privacy Control	September 24, 2026 Working Draft technical specification. The Sec-GPC request header uses the value 1 when the control is enabled and is omitted when disabled. This draft provides a technical signal format, not a blanket legal determination of applicable consumer rights or request processing.. Validate bounded HAR 1.2 entry/request structure and exact captured population. Inspect URL queries, headers, cookies and supported JSON/form post bodies using source pointers. Compare approved identifier, consent and permitted-field definitions, show unrecognized payload structures and exact GPC signal anomalies, and preserve actual request lineage. This source does not validate unsupplied populations, authenticate actual tests or approve the customer result.	October 9, 2026	https://www.w3.org/TR/gpc/